

Appendix 3

Drug Utilization Review Service Codes

Table One: Drug Utilization Review Reason Codes

DOSING/LIMITS	DRUG CONFLICT
ER Overuse	AT Additive Toxicity
LR Underuse	DC Drug-Disease (Inferred)
	DC Drug-Drug Interaction
	MC Drug-Disease (Reported)
	PA Drug-Age
	PG Drug-Pregnancy
	TD Therapeutic Duplication

Table Two: Drug Utilization Review Action Codes

Administrative		Patient Care	
00	No Intervention	AS	Patient Assessment
FE	Formulary Enforcement	CC	Coordination of Care
GP	Generic Product Selection	M0	Prescriber Consulted
PH	Patient Medication History	MR	Medication Review
TC	Payer/Processor Consulted	PO	Patient Consulted
TH	Therapeutic Product Interchange	PE	Patient Education/Instruction
SW	Literature Search/Review	PF	Patient Referral
		PM	Patient Monitoring
		PT	Perform Laboratory Test
		RO	Pharmacist Consulted Other Source
		RT	Recommended Laboratory Test
		SC	Self-Care Consultation

Table Three: Result Codes

Dispensed		Not Dispensed		Patient Care	
00	Not Specified	2A	Prescription Not Filled	3A	Recommendation Accepted
1A	Filled as is, False Positive Clarified	2B	Not Filled, Directions Clarified	3B	Recommendation Not Accepted, Clarified
1B	Filled Prescription as is			3C	Discontinued Drug
1C	Filled, With Different Dose			3D	Regimen Changed
1D	Filled, With Different Directions			3E	Therapy Changed
1E	Filled, With Different Drug Acknowledged			3F	Therapy Changed, Cost Increase Acknowledged
1F	Filled, With Different Quantity			3G	Drug Therapy Unchanged
1G	Filled, With Prescriber			3H	Follow-Up Report
1H	Brand-to-Generic Change				
1J	Rx-to-OTC Change				

Outcome codes that begin with ‘1’ indicate that dispensing ultimately did occur. Outcome codes that begin with ‘2’ indicate that dispensing was avoided. Outcome codes that begin with “3,” or patient care types of Result codes, may or may not be involved with the dispensing of a medication.